

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	0	(switch\$3 and transistor and group and (power near supply near line)and (reference near current) and (constant near current near sources) and series and (print near head)).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 14:58
L11	1	(switch\$3 and transistor and group and (power near supply near line)and (reference near current) and (constant near current near sources) and series).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 14:57
L10	0	"347"/\$\$\$.ccls. and (switch\$3 and transistor and group and (power near supply near line) and (reference near current) and (constant near current near sources) and series).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 14:56
L9	49	8 not 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 14:50
L8	58	((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj (current or signal) adj (source or suppl\$4 or circuit)) and (board or substrate) and group and switch and (heater or resistor) and reference and (print near head) and series	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 14:49
L7	66	((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj (current or signal) adj (source or suppl\$4 or circuit)) and (board or substrate) and group and switch and (heater or resistor) and reference and (print near head)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 14:49

L6	13	"347"/.ccls. and ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj(current or signal) adj (source or suppl\$4 or circuit)) and (board or substrate) and group and switch and (heater or resistor) and reference and (print near head)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 14:46
L5	77	"347"/.ccls. and ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj(current or signal) adj (source or suppl\$4 or circuit)) and (board or substrate) and group and switch and (heater or resistor) and reference	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 14:45
L4	106	"347"/.ccls. and ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj(current or signal) adj (source or suppl\$4 or circuit)) and (board or substrate) and group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 14:44
L3	218	"347"/.ccls. and ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj(current or signal) adj (source or suppl\$4 or circuit)) and (board or substrate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 14:43
L2	417	"347"/.ccls. and ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj(current or signal) adj (source or suppl\$4 or circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 14:40

L1	4	((("6371588") or ("5933161"))). FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/28 14:09
S134	151	S133 not S129	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 19:58
S133	201	"347"/.ccls. and ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj(current or signal) adj (source or suppl\$4 or circuit)) and (board or substrate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 19:58
S132	399	"347"/.ccls. and ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj(current or signal) adj (source or suppl\$4 or circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 19:57
S131	1004	"347"/.ccls. and ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) near2(current or signal) near2 (source or suppl \$4 or circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 19:56
S130	63	S129 not S127	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 19:20
S129	126	347/9,10,12,57,58,59.ccls. and ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) near2 (current or signal) near2 (source or suppl\$4 or circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 19:19

S128	66	347/9,10,12,57,58,59.cds. and ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) near (current or signal) near (source or suppl\$4 or circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 19:19
S127	63	347/9,10,12,57,58,59.cds. and ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj (current or signal) adj (source or suppl\$4 or circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 18:47
S123	3073	347/9,10,12,57,58,59.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 18:43
S83	1	S79 and ((constant or constant \$2 or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj (current or signal) adj (source or suppl\$4 or circuit)) and ((saturat\$4)NEAR3 (MOS or Mosfet or MOS\$FET)) and((voltage near current)and (reference near current)and (reference near voltage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 10:45
S82	22	S79 and ((constant or constant \$2 or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj (current or signal) adj (source or suppl\$4 or circuit)) and ((saturat\$4)NEAR3 (MOS or Mosfet or MOS\$FET))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 10:44
S81	973	S79 and ((constant or constant \$2 or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj (current or signal) adj (source or suppl\$4 or circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 10:12

S78	6	((constant or constant\$2 or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj (current or signal) adj (source or suppl\$4 or circuit))NEAR3 (saturat\$4) NEAR3 (MOS or Mosfet or MOS \$FET))and((voltage near current)and (reference near current)and(reference near voltage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 10:10
S79	6980	(voltage adj current adj conver \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 10:08
S73	27	((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj (current or signal) adj (source or suppl\$4 or circuit))NEAR3 (saturat\$4)NEAR3 (MOS or Mosfet or MOSSFET)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 09:59
S77	13	((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj (current or signal) adj (source or suppl\$4 or circuit))NEAR3 (saturat\$4)and((voltage near current)and (reference near current)and(reference near voltage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 09:57
S76	6	((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj (current or signal) adj (source or suppl\$4 or circuit))NEAR3 (saturat\$4)NEAR3 (MOS or Mosfet or MOSSFET)and ((voltage near current)and (reference near current)and (reference near voltage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 22:00

S75	24	((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj (current or signal) adj (source or suppl\$4 or circuit))NEAR3 (saturat\$4)NEAR3 (MOS or Mosfet or MOSFET)and ((voltage near current)or (reference near current)or (reference near voltage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 21:45
S72	11	((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj (current or signal) adj (source or suppl\$4 or circuit))NEAR2 (saturat\$4)NEAR2 (MOS or Mosfet or MOSFET)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 21:23
S46	4	347/58 AND ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj (current or signal) adj (source or suppl\$4 or circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 21:06
S69	302	"347"/\$\$\$ AND ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) adj(current or signal) adj (source or suppl\$4 or circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 19:50
S58	404	"347"/\$\$\$ AND ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) NEAR(current or signal) NEAR (source or suppl\$4 or circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 19:49

S57	32	"347"/\$\$\$ AND ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) NEAR(current or signal) NEAR (source or suppl\$4 or circuit))and (reference adj current)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 19:47
S56	26	347/12 AND ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) NEAR(current or signal) NEAR (source or suppl\$4 or circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 19:27
S55	43	347/10 AND ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) NEAR(current or signal) NEAR (source or suppl\$4 or circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 19:20
S54	16	347/57 AND ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) NEAR(current or signal) NEAR (source or suppl\$4 or circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 19:09
S53	14	347/59 AND ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) NEAR(current or signal) NEAR (source or suppl\$4 or circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 19:04
S52	33	347/9 AND ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) NEAR(current or signal) NEAR (source or suppl\$4 or circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 18:44

S50	9	347/54 AND ((constant or uniform or fixed or equal or even or stable or invariable or regular or consistent or unchanging or unvarying or steady or predetermined or settled) NEAR(current or signal) NEAR (source or suppl\$4 or circuit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 18:16
S45	572	347/58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/01 17:21

8/28/2008 3:00:46 PM

C:\Documents and Settings\hlegesse\My Documents\EAST\Workspaces\No_36-&-37_App11-137581(&-10-577320) _ PH Substrate, PH apparatus (Constant Current Source- Ref Current (voltage) Circuit- Volt to Current Convertor- Heater Driving Circuits) .wsp